

Esoterix Coagulation Service Update

Test Name/Test Code (Profile Components)	Reference Range	Specimen Requirement	CPT Code	Change/Comments
Send Out Assay Changes Effective May 3, 2010. All assays performed at Blood Center of Wisconsin				
300326 - von Willebrand Cleaving Protease Profile (ADAMTS13) (von Willebrand Protease Activity, von Willebrand Protease Inhibitor, reflex to von Willebrand Protease Antibody)	Reflex to Antibody if Inhibitor is ≤ 0.7	No change	85397, 85335 Reflex (additional CPT code) 83520	Profile will now reflex to von Willebrand Protease Antibody if ADAMTS13 Inhibitor is ≤ 0.7 . Inhibitor is performed if Activity is $\leq 30\%$. If reflex testing is performed additional charges/CPT codes may apply.
300082 - Serotonin Release Assay (SRA) - Unfractionated Heparin (UNF)	No change	No change	No change 86022 x 2	This assay is now specific to Unfractionated Heparin only. (Use test code 300648 for Serotonin Release Assay - Low Molecular Weight Heparin).
300648 - Serotonin Release Assay (SRA) - Low Molecular Weight Heparin (LMWH)	No change	No change	No change 86022 x 2	New assay specific to Low Molecular Weight Heparin.
300652 - Serotonin Release Assay (SRA) Panel (Low Molecular Weight Heparin, Unfractionated Heparin)	No change	No change	86022 x 4	New Panel, components include both Unfractionated Heparin and Low Molecular Weight Heparin.