

March 26, 2010

**Discontinuation Notice: Deactivation of Testing**

**Test Title:** *Chlamydia trachomatis* DNA by PCR

**Test Code:** 128404

**Effective Date:** April 15, 2010

**Explanation of discontinuation:** *Chlamydia trachomatis* DNA by PCR is infrequently requested by Esoterix clients and on April 15th Esoterix will discontinue this test/method. Please contact the Esoterix Client Services team at 800-444-9111, option 1, if you have any questions regarding this test code or would like information on alternate test options.

Description	Discontinued Method
Test Code	128404
CPT Code	87491
Assay Method	<i>Chlamydia trachomatis</i> DNA by PCR
Methodology	PCR
Reference Range	None Detected
Assay TAT	4 – 7 days
Sample Requirement	Females - Liquid Pap Smear, Cytobrush/cervical swabs, Males – Urethral swab

March 26, 2010

**Discontinuation Notice: Deactivation of Testing**

**Test Title:** GC DNA by PCR (*Neisseria gonorrhoeae*)

**Test Code:** 128405

**Effective Date:** April 15, 2010

**Explanation of discontinuation:** GC DNA by PCR is infrequently requested by Esoterix clients and on April 15<sup>th</sup> Esoterix will discontinue this test/method. Please contact the Esoterix Client Services team at 800-444-9111, option 1, if you have any questions regarding this test code or would like information on alternate test options.

<b>Description</b>	<b>Discontinued Method</b>
Test Code	128405
CPT Code	87591
Assay Method	GC DNA by PCR ( <i>Neisseria gonorrhoeae</i> )
Methodology	PCR
Reference Range	None Detected
Assay TAT	4 – 7 days
Sample Requirement	Females - Liquid Pap Smear, Cytobrush/cervical swabs, Males – Urethral swab

March 26, 2010

## Discontinuation Notice: Deactivation of Testing

**Test Title:** GC/CT DetX<sup>TM</sup> by PCR (*Neisseria gonorrhoeae* and *Chlamydia trachomatis*)

**Test Code:** 128403

**Effective Date:** April 15, 2010

**Explanation of discontinuation:** GC/CT DetX<sup>TM</sup> DNA by PCR is infrequently requested by Esoterix clients and on April 15<sup>th</sup> Esoterix will discontinue this test/method. Please contact the Esoterix Client Services team at 800-444-9111, option 1, if you have any questions regarding this test code or would like information on alternate test options.

Description	Discontinued Method
Test Code	128403
CPT Code	87591, 87491
Assay Method	GC/CT DetX <sup>TM</sup> by PCR ( <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> )
Methodology	PCR
Reference Range	None Detected
Assay TAT	4 – 7 days
Sample Requirement	Females - Liquid Pap Smear, Cytobrush/cervical swabs, Males – Urethral swab

March 26, 2010

**Discontinuation Notice: Deactivation of Testing**

**Test Title:** HPV TriTect™ by PCR (HPVDetx™, Neisseria gonorrhoea, Chlamydia trachomatis)

**Test Code:** 128402

**Effective Date:** April 15, 2010

**Explanation of discontinuation:** HPV TriTect™ by PCR is infrequently requested by Esoterix clients and on April 15<sup>th</sup> Esoterix will discontinue this test/method. Please contact the Esoterix Client Services team at 800-444-9111, option 1, if you have any questions regarding this test code or would like information on alternate test options.

Description	Discontinued Method
Test Code	128402
CPT Code	83891; 83898; 83894; 83912; 87591; 87491; 83892 x 3; 83894 x 3; 83912
Assay Method	HPV TriTect™ by PCR (HPV DetX™, <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> )
Methodology	PCR-RFLP
Reference Range	None Detected
Assay TAT	4 – 7 days
Sample Requirement	Females - Liquid Pap Smear, Cytobrush/cervical swabs, Males – Urethral swab



A LabCorp Company

March 26, 2010

**Discontinuation Notice: Deactivation of Testing**

**Test Title:** HPV TriTect™ High Risk Assessment by PCR (HPV DetX™ High Risk Assessment, *Neisseria gonorrhoeae* and *Chlamydia trachomatis*)

**Test Code:** 128452

**Effective Date:** April 15, 2010

**Explanation of discontinuation:** HPV TriTect™ High Risk Assessment by PCR is infrequently requested by Esoterix clients and on April 15<sup>th</sup> Esoterix will discontinue this test/method. Please contact the Esoterix Client Services team at 800-444-9111, option 1, if you have any questions regarding this test code or would like information on alternative test options.

Description	Discontinued Method
Test Code	128452
CPT Code	83891, 83898, 83894, 83912, 87591, 87491, 83892 x 3, 83894 x 3, 83912
Assay Method	HPV TriTect™ High Risk Assessment by PCR (HPV DetX™ High Risk Assessment, <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> )
Methodology	PCR-RFLP
Reference Range	None Detected
Assay TAT	4 – 7 days
Sample Requirement	Females - Liquid Pap Smear, Cytobrush/cervical swabs, Males – Urethral swab